

Hukill Chemical Corporation
7013 Krick Road, Bedford OH, 44146
PH 440-232-9400 FX 440-232-9477

Technical Data Sheet

Huvasol 142 HT

TECHNICAL DATA

TYPICAL ANALYSIS

Appearance
Specific Gravity @ 60 Deg
Flashpoint, Deg F
Color, Saybolt

SPECIFICATIONS

30Saybolt Minimum
0.768 To 0.82
142Deg F Minimum
30Saybolt Minimum

PHYSICAL PROPERTIES

#/Gallon	6.55
Flash Point	> 142 F (Closed Cup)
Appearance & Odor	Cloudy. Mineral spirit odor. Properties vary with solution
Physical State	
Stability - Conditions to Avoid	Stable-None.
Incompatibility	Oxidizers, strong acids and alkali, metal hydroxides.
Hazardous Decomposition	Carbon monoxide and unidentified organics may be formed during combustion
Polymerization - Conditions to Avoid	Will not occur-None.
Unusual Fire & Explosion Hazards	Could form explosive mixtures with air in confined spaces. Vapors are heavier than air and could travel a distance from the source and ignite.

This data and recommendations presented are based upon information available to Hukill Chemical Corporation which we believe to be reliable. However, the information hereon is provided solely for the convenience of our customers, and we assume no liability for any inaccuracies. All product data and specifications are subject to actual testing and to the terms of our purchase order and invoice. No warranties are expressed or implied regarding the results to be obtained from the product or that any use thereof will not infringe on any patent.